



# Cordless Microwave MW001G



# 40V Li-Ion max




Microwave power

**500/350 W**


Cavity capacity

**8 L**

Popular size food container can be heated.



**Control panel**



**Easy to clean up and maintain**

Easy to clean flat cavity plate



**Continuous heating time on a full battery charge (approx)**

**500w: 35 min\***

Battery: BL4080F x2

\* This is the total time of repeated maximum 8-minute continuous heating at 500W in temporary boost mode



Continuous heating time on a full battery charge (approx)							
Battery		BL4020 x2	BL4025 x2	BL4040 x2	BL4050F x2	BL4080F x2	PDC1200
Microwave power	350W	11 min	14 min	21 min	30 min	48 min	113 min
	500W	6 min	8 min	15 min	22 min	35 min	84 min



Approx number of times an item can be heated With two fully charged BL4040 batteries	
food container of chilled items	mug of drink (200mL)
<b>5 times</b>	<b>8 times</b>

**Three user-oriented functions**

**1. Stops heating promptly and automatically when tilted.**

Does not heat while being tilted for increased relief even in the case of tipping over.



**2. Stops heating promptly and automatically when the door is opened during heating.**





### 3. Reminder beep for items left in the cavity

If the microwave door is not opened for 1 minute after heating, a sequence of 3 short beeps sounds every 1 minute for 2 minutes, notifying user of items left in the microwave.

Pi.Pi.Pi.



### Internal cavity light

Lights up when the door is opened and during heating.

### Tempered door glass

- Hard-to-break
- The inside of cavity can be checked during heating.
- Left-hinged side opening door

### USB output port

- 1 port (Type A for DC5V / 2.4A)
- With rubber cap for reduced chance of damage to terminal



### Excellent portability

- Easy-to-carry compact design yet with proper cavity dimensions where popular size food container can be heated
- Large retractable carrying handle




### Accessories

#### Shoulder belt set

Part No. 196817-8



**High Power**  
**Durability**  
**Digital**  
**Communication**



**Comfort/Lifestyle**

**Cordless Kettle**

**KT001G**

40V max



Water Tank Capacity	800 mL
Dimensions (L x W x H)	233 x 322 x 307 mm (9-1/8 x 12-5/8 x 12-1/8")
Net weight	2.8 - 5.9 kg (6.2 - 13.0 lbs.)

**Cordless Cooler & Warmer Box**

**CW001G**

40V max  
18V



**CW002G**

40V max  
18V



**CW003G**

40V max  
18V



	<b>CW001G</b>	<b>CW002G</b>	<b>CW003G</b>
Capacity	20 L (5.3 gal)	50 L (13.2 gal)	7 L (1.8 gal)
Cooling Capacity	-18 / -15 / -10 / -5 / 0 / 5 / 10°C (0 / 5 / 15 / 25 / 30 / 40 / 50°F)	-18 / -15 / -10 / -5 / 0 / 5 / 10°C (0 / 5 / 15 / 25 / 30 / 40 / 50°F)	-18 / -15 / -10 / -5 / 0 / 5 / 10°C (0 / 5 / 15 / 25 / 30 / 40 / 50°F)
Warming Capacity	30 / 35 / 40 / 45 / 50 / 55 / 60°C (85 / 95 / 105 / 115 / 120 / 130 / 140°F)	30 / 35 / 40 / 45 / 50 / 55 / 60°C (85 / 95 / 105 / 115 / 120 / 130 / 140°F)	30 / 35 / 40 / 45 / 50 / 55 / 60°C (85 / 95 / 105 / 115 / 120 / 130 / 140°F)
Dimensions (L x W x H)	663 x 341 x 372 mm (26-1/8 x 13-3/8 x 14-5/8")	867 x 465 x 476 mm (34-1/8 x 18-1/4 x 18-3/4")	456 x 245 x 308 mm (18 x 9-5/8 x 12-1/8")
Net weight	13.8 - 17.3 kg (30.4 - 38.1 lbs.)	25.6 - 29.0 kg (56.4 - 63.9 lbs.)	7.9 - 9.4 kg (17.4 - 20.7 lbs.)

**Charging Time**

	Fast Charging			
	DC40RA	DC40RB	DC40RC	DC40WA
*1 BL4020 2.0Ah	22 min	30 min	110 min	
*1 BL4025 2.5Ah	28 min	38 min	130 min	
*1 BL4040 4.0Ah	45 min	67 min	210 min	
*1 BL4050F 5.0Ah	50 min	85 min	260 min	
*1 BL4080F 8.0Ah	76 min	170 min	420 min	

\*1 Recommended battery

**Cordless Microwave**

**MW001G**

Useful cavity dimensions (W x D x H)	255 x 241 x 120 mm (10 x 9-1/2 x 4-3/4")
Cavity capacity	8 L
Microwave power	High / Low: 500 / 350 W
Operating frequency	2,450 MHz
Continuous run time on full battery charge	350 / 500 W, w/ BL4020 x2: 11 / 6 min. 350 / 500 W, w/ BL4025 x2: 14 / 8 min. 350 / 500 W, w/ BL4040 x2: 21 / 15 min. 350 / 500 W, w/ BL4050F x2: 30 / 22 min. 350 / 500 W, w/ BL4080F x2: 48 / 35 min. 350 / 500 W, w/ PDC1200: 113 / 84 min.
Dimensions (L x W x H)	w/o Battery: 318 x 343 x 338 mm (12-1/2 x 13-1/2 x 13-1/4") w/ BL4020 / BL4025: 366 x 343 x 338 mm (14-3/8 x 13-1/2 x 13-1/4") w/ BL4040: 372 x 343 x 338 mm (14-5/8 x 13-1/2 x 13-1/4") w/ BL4050F: 393 x 343 x 338 mm (15-1/2 x 13-1/2 x 13-1/4") w/ BL4080F: 412 x 343 x 338 mm (16-1/4 x 13-1/2 x 13-1/4")
Net weight	w/o Battery: 8.9 kg (19.6 lbs.) w/ Battery: 9.5-12.7 kg (20.9-28.0 lbs.)

Not covered by EPTA-Procedure / Specifications may differ from country to country.

**Makita Corporation**

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202302