



Cordless Grass Trimmer  
UR006G / UR007G / UR008G



**XGT**  
**40V** LI-ION  
**max**

As powerful as 30cc petrol grass trimmer

**Wet Guard**



photo: UR006G

Net weight

**6.2 kg**

model: UR006G  
battery: BL4050F

Max Output

**1.0 kW**

**BL** **ADT** **AFT** **XPT** **WG**  
MOTOR WET GUARD



## WG

**WET GUARD**

High water-resistance allows to operate the machine even if it is wet with water.

## XPT

### eXtreme Protection Technology

Enhanced Dust and Drip-proof Performance ensure reliable operation even under bad weather

photo: UR007G

## BL MOTOR

### Rear end mounted motor


Makes the tool weight balance similar to engine grass trimmers, enabling user to easily lift up the saw head for ridge weed removal, etc.



## ADT

### Automatic torque Drive Technology


Automatically changes the cutting speed according to grass density.




## AFT

### Active Feedback sensing Technology

Torque limiter turns the motor off if the tool is suddenly forced to lock



### Toolless handle lock mechanism for good portability ( UR006G only )



### The vertical center line of the handle bar always stays aligned with that of user ( UR006G only )



- Enabling user to work with less fatigue even in long continuous operation.
- Allowing for a wider swing.

### New tool-less quick fastening handle holder ( UR006G only )



- Compatible with two-piece handle bar
- Each handle-to-shaft angle is independently adjustable without tool.

# Power as 30cc engine tool

**Multi functional control panel: near right hand position for easy access and operation**



Electronic 3-speed

Reverse button / ADT

Main power button

## Reverse button



Reverse switch for clearing entangled weeds and grass from cutting head

## Large push button main power switch

allows for easy on/off even with gloved hand.

## UR006G

Offset bike Handle



## Cutting width: 430mm (17")

similar to 30mL class engine grass trimmers.

## Protector ( UR006G / UR007G )

- Dual-purpose protector, Nylon cutting head can be used by attaching Extension.
- Cutting width: 255mm with Metal blade 430mm with Nylon cutting head

**Max Output**  
**1.0 kW**

## UR007G

Loop-Handle



## UR008G

Loop-Handle

Nylon Cutting Head and Plastic Blade only



## Protector ( UR008G )

- Designed exclusively for use with Nylon cutting head.
- Narrow design for wide working field
- Cutting width: 430mm

## Run Time\*

### Nylon cutting head

High	Med	Low
12	24	38
min		
with BL4050F		

\*on a single full battery charge / No load



## Portable Power Pack

### PDC01

Powered by up to four 18V LXT batteries



### PDC1200

Powered by 36V-40Vmax built-in battery



Charger: DC4001

### Adapter set (40Vmax)

Part No. 191N62-4



Adapter between Battery box of Portable power pack and Product on 40Vmax XGT platform

## Accessories

### Trimmer head

Part No. 196324-1  
Cord/Line : 2.4mm x3.6m  
Ref. : UN-74L



Part No. 197296-3  
Cord/Line : 2.0mm x3m  
Ref. : ECO 4L



Part No. 191D89-4  
Cord/Line : 2.0mm x4m  
Ref. : 96-M10L



Part No. 198893-8 (EU)  
Cord/Line : 2.0mm x3m  
Ref. : 95-M10L



Part No. 198266-5  
Cord/Line : 2.4mm x6m  
Ref. : UN-72L

### Brushcutter blade

For UR006G / UR007G

	2-tooth blade	3-tooth blade	4-tooth blade
<b>Blade dia</b>			
230mm	197997-3	195298-3	195150-5
255mm	198345-9	195299-1	196895-8

### Four-leaf Spiral Nylon cord

Size	Green		Orange	
	Part No.	Size	Part No.	Size
2.0mmx15m	197472-9	2.4mmx15m	198501-1	
2.0mmx30m	197473-7	2.4mmx30m	198502-9	
2.0mmx160m	197474-5	2.4mmx120m	198503-7	
2.0mmx280m	197475-3	2.4mmx180m	198504-5	

### Protection guard for brush cutting blades

Part No. 191B54-1  
UR006G / UR007G



Part No. 191B55-9  
UR008G




### Plastic blade

	Plastic blade Set	Replacement plastic blade
<b>Cutting width</b>		
255mm	198383-1	198426-9
305mm	199868-0	199870-3

### Shoulder strap assembly

Comfort  
Part No.122906-3



Single  
Part No.127759-5



## Charging Time Reference

	DC40RA Fast Charging	DC40RC
<b>BL4020</b> 2.0Ah	<b>22min</b>	<b>30min</b>
<b>*BL4025</b> 2.5Ah	<b>28min</b>	<b>38min</b>
<b>*BL4040</b> 4.0Ah	<b>45min</b>	<b>67min</b>
<b>*BL4050F</b> 5.0Ah	<b>50min</b>	<b>85min</b>

\*1 Recommended battery

## Cordless Grass Trimmer

### UR006G / UR007G / UR008G

- Variable Speed
- Brake
- Reversing
- Electronic 3-Speed
- Constant Speed
- Soft Start

<b>Cutting Width</b>	Metal Blade: 255 mm (10") (UR006G / UR007G only) Nylon Cutting Head: 430 mm (17") Plastic Blade: 305 mm (12")
<b>No Load Speed (RPM)</b>	Metal Blade (3 / 2 / 1): 0 - 7,000 / 0 - 5,500 / 0 - 4,600 Nylon Cutting Head (3 / 2 / 1): 0 - 5,500 / 0 - 5,000 / 0 - 4,600 Plastic Blade (305 mm) (3 / 2 / 1): 0 - 7,000 / 0 - 5,500 / 0 - 4,600
<b>Spindle Size</b>	M10 x 1.25 LH
<b>Dimensions (L x W x H)</b>	w/o Cutting Tool, w/ BL4050F: UR006G: 1,840 x 681 x 563 mm (72-1/2 x 26-3/4 x 22-1/4") UR007G: 1,840 x 400 x 269 mm (72-1/2 x 15-3/4 x 10-5/8") UR008G: 1,828 x 227 x 301 mm (72 x 8-15/16 x 11-7/8")
<b>Net Weight</b>	UR006G: 5.6 - 6.2 kg (12.3 - 13.7 lbs.) UR007G: 5.2 - 5.8 kg (11.5 - 12.9 lbs.) UR008G: 5.0 - 5.6 kg (11.0 - 12.4 lbs.)

**Standard Equipment :** Safety Goggles, Metal Blade (UR006G / UR007G) / Nylon Cutting Head / Plastic Blade (country-specific), Blade Cover (for the product with metal blade), Accessory Bag, Hex Wrench, Box Driver (UR006G / UR007G), Shoulder Belt, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

# Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202105