



Cordless Dust Blower
AS001G
DAS180



XGT

40V Li-ion
max

18V
LITHIUM-ION



Blowing



Inflating



Deflating

A wide range of applications

Can be used for a wide range of applications by replacing the tip nozzle



XGT
40V Li-ion
max

AS001G



18V
LITHIUM-ION

DAS180



BL
MOTOR



Nozzle 13 set
Part No. 191X15-3
• For blow-off works
• For inflating large play pools, etc.



Nozzle 7 set
Part No. 191X13-7
For filter cleaning



Nozzle 3 set
Part No. 191X11-1
For cleaning narrow spaces (can be used like an air spray can)



Wide range nozzle set
Part No. 191X19-5
Blowing air over dirt and liquid on desktop and wide-open area.



A wide range of applications



Flexible nozzle complete set
Part No. 191X21-8
For blowing dust away from OA equipment or narrow spaces where this machine cannot enter



Pinch valve nozzle set
Part No. 191X17-9
For inflating/deflating inner tubes and beach balls



Rubber attachment 20-30 set
Part No. 191X25-0
For deflation large play pools and inflatable beds etc.*1



Rubber attachment 65 set
Part No. 191X27-6
For deflating futon (bedding) compression bag*1



*1 Used by attaching to Nozzle 13 and Air vent hose

Max air velocity
200
m/s
[with Nozzle 7 / Mode 4]

Max air volume
1.1
m³/min
[without Nozzle / Mode 4]

BL
MOTOR

Variable speed control by trigger



4 stage air volume



Hanging hole



Filter
For preventing foreign matter from being sucked in



LED job light

Belt clip

One-touch nozzle replacement

Easy nozzle replacement without tool



Air vent hose complete set

For inflating/deflating inner tubes and beach balls



*Remove Dust cap complete from this machine and attach this hose.



Filter C complete set

For use of the machine in a dusty environment



*Remove Dust cap complete from this machine and attach this Filter.



Cordless Dust Blower

XGT
40V Li-ion max

AS001G

Max sealed suction
10.3 kPa

Continuous run time
Battery: BL4025

Mode	1	2	3	4
	50 min	25 min	17 min	13 min



18V LITHIUM-ION

DAS180

Max sealed suction
10.3 kPa

Continuous run time
Battery: BL1860B

Mode	1	2	3	4
	55 min	30 min	20 min	15 min



Accessories



For inflation

Nozzle 13 set

Part No. 191X15-3
Nozzle diameter: ø13mm
(Same as the caliber of the machine)

- For blow-off works
- For inflating large play pools, etc.



Nozzle 7 set

Part No. 191X13-7
Nozzle diameter: ø7.0mm

For filter cleaning



Nozzle 3 set

Part No. 191X11-1
Nozzle diameter: ø3.0mm

For cleaning narrow spaces (can be used like an air spray can)



Flexible nozzle complete set

Part No. 191X21-8
Nozzle diameter: ø6.0x800 (Hose)

For blowing dust away from OA equipment or narrow spaces where this machine cannot enter



For inflation

Wide range nozzle set

Part No. 191X19-5
Nozzle diameter: ø6.0mm (each hole)

Blowing air over dirt and liquid on desktop and wide-open area.



Pinch valve nozzle set

Part No. 191X17-9
Nozzle diameter: ø7.0mm

For inflating/deflating inner tubes and beach balls



Long nozzle set

Part No. 191X78-9 Nozzle diameter: ø8.0mm

- For cleaning anchor holes
- For cleaning narrow spaces that are out of reach

Long nozzle F

Long nozzle R



- Long nozzle R can be used as a single item.
- It can also be used as an assembly with Nozzle 13.



For deflation

Air vent hose complete set

Part No. 191X23-4
Nozzle diameter: 13mm (Same as the caliber of the machine)

For inflating/deflating inner tubes and beach balls (Remove Dust cap complete from this machine and attach this hose.)



Rubber attachment 20-30 set

Part No. 191X25-0
Nozzle diameter: 7.0mm

For deflation large play pools and inflatable beds etc.*1



Rubber attachment 65 set

Part No. 191X27-6
Nozzle diameter: ø65mm

For deflating futon (bedding) compression bag*1



For product protection

Filter C complete set

Part No. 191X29-2
For use of the machine in a dusty environment

(Remove Dust cap complete from this machine and attach this Filter.)



*1 Used by attaching to Nozzle 13 and Air vent hose

Charging Time

AS001G

DAS180

	Fast Charging			Fast Charging	
	DC40RA	DC40RC		DC18RC	DC18SD
*1BL4020 2.0Ah	22 min	30 min	BL1815N 1.5Ah	15 min	30 min
*1BL4025 2.5Ah	28 min	38 min	BL1820B 2.0Ah	24 min	45 min
*1BL4040 4.0Ah	45 min	67 min	BL1830B 3.0Ah	22 min	60 min
BL4050F 5.0Ah	50 min	85 min	BL1840B 4.0Ah	36 min	90 min
BL4080F 8.0Ah	76 min	170 min	BL1850B 5.0Ah	45 min	110 min
*1 Recommended battery			BL1860B 6.0Ah	55 min	130 min

Cordless Dust Blower

AS001G / DAS180

Variable Speed	Air volume 0-1.1 m ³ /min Air velocity 0-200 m/s
Electronic 4-Speed	Air pressure 0-29.7 kPa Blowing force Mode 1 / 2 / 3 / 4: 0-1.1 / 0-1.7 / 0-2.3 / 0-2.8 N
Built-in Job Light	Max sealed suction 10.3 kPa Continuous Use (min.) AS001G: w/ BL4025, Mode 1 / 2 / 3 / 4: 50 / 25 / 17 / 13 DAS180: w/ BL1860B, Mode 1 / 2 / 3 / 4: 55 / 30 / 20 / 15
Carrying Case	Sound pressure level 79 dB(A) Vibration level 2.5 m/s ² or less Dimensions (L x W x H) AS001G: w/ BL4020 / BL4025: 180 x 94 x 300 mm (7-1/8 x 3-11/16 x 11-3/4") w/o Battery: 175 x 94 x 248 mm (6-7/8 x 3-11/16 x 9-3/4") DAS180: w/ BL1830B / BL1840B / BL1850B / BL1860B: 179 x 92 x 297 mm (7 x 3-5/8 x 11-3/4") w/o Battery: 173 x 92 x 247 mm (6-13/16 x 3-5/8 x 9-3/4")
	Net weight AS001G: 1.5 - 2.3 kg (3.3 - 5.1 lbs.) DAS180: 1.2 - 1.7 kg (2.6 - 3.7 lbs.)

Standard Equipment : Nozzle, Pinch valve nozzle, Wide range nozzle, Flexible nozzle, Air vent hose, Rubber attachment, Filter, Belt clip, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202301