



# Cordless Metal Cutter

DCS553 150mm (5-7/8")

DCS552 136mm (5-3/8")



## Self-Dust Collection Box for Cleaner Work Environment



Photo: DCS553

DCS553

**BL MOTOR ADT XPT**

Max cutting capacity

**57.5mm**



Also compatible for use with 136mm TCT saw blade

DCS552



Max cutting capacity

**50.5mm**

# Self-Dust Collection Box for less dust leakage



Dual LED Lights



DCS553

**BL** MOTOR **ADT XPT**



DCS552

DCS553

Max work amount

**125 cuts**

- with BL1850B
- Carbon steel pipe of 34mm diameter with thickness of 3.2mm

Easy disposal of dust by simply opening Dust cap.

(DCS553 / DCS552)



Large depth adjusting lever (DCS553 / DCS552)



Battery fuel gauge (DCS553 only)





age

## DCS553

### Compact design

Overall length of the tool has been greatly shortened by relocating battery.



Predecessor Model  
332mm



DCS553  
267mm




**65mm**  
Shortened




## **ADT** Automatic speed control

automatically changes the cutting mode according to load conditions for an optimum operation:



ly)





## For Various Applications

Round pipe



Angle



Channel



Thin metal



Stainless



UNISTRUT™



Aluminum



Tubing



Metal sheet



Corrugated sheet



## Accessories

### Tool hanger

Part No. 199296-9  
(DCS553 only)



### T.C.T. Saw Blade

Size: 150mm x 20mm

Size: 136mm x 20mm

Cutting Material	No. teeth	Part No.	Cutting Material	No. teeth	Part No.
Metal	32T	B-46296	Metal	30T	B-07319
Thin sheet metal	52T	B-47008	Thin sheet metal	50T	B-07325
SUS/Metal	60T	B-47014	SUS/Metal	56T	B-23117
Aluminum	52T	B-47020	Aluminum	50T	B-40331

## Cordless Metal Cutter

### DCS553 150 mm (5-7/8")

### DCS552 136 mm (5-3/8")

430 mm

- Brake
- Built-in Job Light
- Carrying Case

	DCS553	DCS552
<b>Blade Diameter</b>	150 mm (5-7/8")	136 mm (5-3/8")
<b>Max Cutting Capacity</b>	90°: 57.5 mm (2-1/4")	90°: 50.5 mm (2")
<b>No Load Speed (RPM)</b>	4,200	3,600
<b>Vibration Level</b>	Cutting Metal: 2.5 m/s <sup>2</sup> or less	Cutting Metal: 2.5 m/s <sup>2</sup> or less
<b>Sound Pressure Level</b>	103 dB(A)	102 dB(A)
<b>Sound Power Level</b>	114 dB(A)	113 dB(A)
<b>Dimensions (L x W x H)</b>	267x186x250 mm (10-1/2"x7-3/8"x9-7/8")	348x196x203 mm (13-3/4"x7-3/4"x8")
<b>Net weight</b>	2.8 - 3.1 kg (6.1 - 6.8 lbs.)	2.4 - 2.7 kg (5.3 - 6.0 lbs.)

**Standard Equipment:** TCT Saw Blade, Hex Wrench, Safety Goggles, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

# Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201808