

Cordless Steel Rod Cutter DSC163



Brushless Motor realized faster rebar cutting



Cutting capacity range of 3-16_{mm} standard rebar







Cutting head rotates 360° to accommodate different cutting positions.




Protector prevents that -



Spark free cutting of rebar and steel rod ideal for use in sensitive areas

Built-in LED light illuminates the work area



Cutting capacity

Ø 3~16mm

Cutting speed

about

0%Faster

Work Amount

about

 $\mathbf{0}$ %UP *

*Compared to the current model (DSC162) (cut 16mm rebar)



Accessories

Cutter blade set

Part No.: SC09002470





Hydraulic pressure oil

35mL	SC00000106
150mL	SC00000142
1,000mL	SC00000270



Cordless Steel Rod Cutter		
DSC163		
Carrying Case	Cutting Capacity Cutting Speed (sec) Dimensions (L x W x H) Net weight	Dia.: 3 - 16 mm (1/8" - 5/8") 2.8 360x108x276 mm (14-1/8"x4-1/4"x10-7/8") 6.9 kg (15.2 lbs.)
	Standard Equipment : Wrench, Hex Wrench, Oil	35ml

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan